

# ISVER 2014- Day 1

---





**DUOTRAV**  
A difference that matters  
The first and only PG/BB fixed combination without BAK\*, containing POLYQUAD® preservative

New!



**EYLEA**  
(aflibercept solution for...)

Unique, Strong...  
Angiogeni...

Specific...  
logically engin...  
Traps VEGF lik...

עין יבשה?  
סיסטיין בבקשה!

LUCENTIS  
in RVD


NOVAR


WITH P...  
D SAFETY

איום רופאים...  
טריסטים...  
לבנים...  
עמותת לראות













































  
יחידת נדל"ג בתיירות

**כנסים**  
**נופש**  
**טיולים ואירועים**

**נופים בוסראט**  
**קניון אוויה**

**לחוויה מושלמת**  
**חופשה עם פז תיירות**

**טל: 08-9108891/2**  
**פקס: 077-4448150**  
**info@paztour.co.il**  
**WWW.PAZTOUR.CO.IL**

ISRAELI SOCIETY FOR  
VISION AND EYE RESEARCH  
The 34th Annual Meeting

March 26-27, 2014  
Program and Schedule

**Wednesday, March 26th, 2014**

- Coffee & Exhibition
- Opening Remarks
- Retina 1: Retinal cell biology
- Coffee & Exhibition
- Oncology
- Cornea 1: Corneal Transplantation
- Guest lecture 1
- Lunch break
- Refractive and Cataract Surgery
- Cornea 2
- Coffee & Exhibition
- Glaucoma

**Thursday, March 27th, 2014**

- Coffee & Exhibition
- Retina 2: Retinal degenerations
- Coffee & Exhibition
- Retina 3: AMD
- Awards & ISVER update
- Guest lecture 2
- Lunch break
- Visual Function and Perception
- Coffee & Exhibition
- Animal Vision
- Retina 4: Clinical studies

# ISVER 2014- Day 2

---













**נתוני המחקר**  
 חצי מיליון נשים סובלות  
 בישראל מ-8 סוגים השכיחים של  
 אה-ג-1, 450-1  
 נשים (אחת מ-1,024 נשים)  
 622 נשים סובלות מ-8 סוגים השכיחים  
 של אה-ג-1, 450-1 (אחת מ-1,024 נשים)  
 The prevalence of Nonyndromic RP in the  
 vicinity of Jerusalem is 1:2,124

**ARVO**  
 Retina 2: Retinal degenerations:  
 genetics, diagnosis and therapy  
 מורשת: גנטיקה, תסמונות, אבחון וטיפול  
 62. Nonyndromic retinitis pigmentosa is highly  
 prevalent in the Jerusalem region with a high  
 frequency of founder mutations  
 Orly Shoshan, Galina Mironov-Malenkova, Eyal Sharon

**המחקר**  
 1:5,500 - לפי הצפי  
 האלימ  
 תולים  
 דור ירושלים  
 The prevalence of Non-  
 viciarity of Jerusalem

**התפלגות הנתונים**

Genotype	Number of patients	Number of founder mutations
Nonyndromic RP	445	190 / 25
Nonyndromic CRD	70	27 / 4
Nonyndromic LCA	33	16 / 17

**ת הנתונים**

Genotype	Number of patients	Number of founder mutations
Nonyndromic RP	445	190 / 25
Nonyndromic CRD	70	27 / 4
Nonyndromic LCA	33	16 / 17

62. Nonyndromic retinitis pigmentosa is highly prevalent in the Jerusalem region with a high frequency of founder mutations  
 Orly Shoshan, Galina Mironov-Malenkova, Eyal Sharon

**NOVARTIS**























